

หลักสูตรระบบบริหารจัดการระบบชุมสายโทรศัพท์ IP




การเข้าโปรแกรม eConfiguration

➤ ดับเบิลคลิกไอคอน



eConfiguration บนหน้าจอ Desktop



การเข้าโปรแกรม eConfiguration

- ใส่ Username และ Password เสร็จแล้วเลือกภาษา กด OK



- Username : mtcl

Password : moisct2010

- English (United States)

การเข้าโปรแกรม eConfiguration

➤ เมนูหน้าต่างหลักของโปรแกรม eConfiguration

OPENVISTA 4760 - Windows Internet Explorer

https://192.168.2.11/html/index.php/?lang=en_US

Search Users In tcmola

Users Where Directory Number Equal

Node Number (reserved)	103
Version name	11.600
CPU Id	4194Y01KD4830F
Patch No.	18
Notes	
Object Identity	
Node Number (reserved)	103
Ethernet Notes	
Netmask	255.255.0.0
Local CPU	
Name	tcmola
IP Address	192.168.2.11
Twin CPU	
Name	tcmolb


All Action

[9:36:57 AM] > Request 0 completed on tcmola: 1 instance(s) received.
[9:38:05 AM] > Full PCX object model is available.

Done Internet 100%

การเข้าโปรแกรม eConfiguration

➤ เมนูหน้าต่างหลักของโปรแกรม eConfiguration



The screenshot displays the eConfiguration web interface within a Windows Internet Explorer browser window. The browser's address bar shows the URL `https://192.168.2.11/ncx/w/index.php?Lang=en_US`. The interface is divided into several sections:

- Left Panel (Tree View):** A hierarchical tree structure under the 'PCX' root. The 'PCX' folder is expanded, showing sub-items such as Shelf, Media Gateway, PWT/DECT System, System, Translator, Classes of Service, Abendant, Users, Users by profile, Set Profile, Groups, Speed Dialing, Phone Book, Entities, Trunk Groups, External Services, Inter-Node Links, X25, DATA, Applications, Specific Telephone Services, ATM, Events Routing Discriminator, Security and Access Control, IP, SIP, DHCP Configuration, and Alcatel-Lucent 869 Series.
- Search Bar:** Located at the top, it includes a search input field with 'Users' entered, a dropdown menu set to 'In tcmoia', and a search button.
- Table:** A table displaying configuration details for a selected PCX object. The table has two columns: the configuration parameter name and its value.

Node Number (reserved)	103
Version name	11.605
CPU Id	4194Y01KD4830F
Patch No.	18
Notes	
Object Identity	
Node Number (reserved)	103
Ethernet Notes	
Netmask	255.255.0.0
Local CPU	
Name	tcmoia
IP Address	192.168.2.11
Twin CPU	
Name	tcmoib

At the bottom of the interface, there is a console window showing the following log messages:

```
[9:36:57 AM] > Request 0 completed on tcmoia: 1 instance(s) received.  
[9:38:05 AM] > Full PCX object model is available.
```

การเข้าโปรแกรม eConfiguration

- การตรวจสอบสถานะของการ์ดต่างๆ บนตู้สาขา

สถานะของการ์ด Enabled คือ ปกติ

Field	Value
CPU Id	4194Y01KD4830F
Patch No.	18
Notes	
Object Identity	
Node Number (reserved)	103
Ethernet Notes	
Netmask	255.255.0.0
Local CPU	
Name	tcmoia
IP Address	192.168.2.11
Twin CPU	
Name	tcmoib

[9:40:50 AM] > Request 7 sent to tcmoia.
[9:40:50 AM] > Request 7 completed on tcmoia: 1 instance(s) received.

การเข้าโปรแกรม eConfiguration

➤ การตรวจสอบหมายเลขภายในชนิด IP Phone

The screenshot shows the eConfiguration web interface in Internet Explorer. The left sidebar displays a tree view of system components, with 'Users' expanded to show a list of directory numbers. The main content area shows the configuration details for a selected user with Directory Number 52301. A yellow callout box with a pencil icon points to the 'Set Type' field, which is circled in red and contains the value 'IP Touch 4068'. The status bar at the bottom shows the page is done.

Directory Number	Directory name	Directory First Name	UTF-8 Directory Name	UTF-8 Directory First Name	Location Node	Shelf Address	Board Address	Equipment Address	Set Type	Entry Number	Set Function
52301						255	255	255	IP Touch 4068	1	Default

Unit of the IP Phone 4068

การเข้าโปรแกรม eConfiguration

➤ การตรวจสอบหมายเลขภายใน Analog

The screenshot shows the eConfiguration web interface for OMNIVISTA 4760. The left pane displays a tree view of directory numbers (PCX) from 52330 to 52367. The right pane shows the configuration for a selected directory number, '52350' under the 'tcmoia' context. The 'Set Type' is 'ANALOG', and the 'Set Function' is 'Default'. A yellow callout points to the 'ANALOG' value, and another points to the 'Set Function' field.

ตำแหน่งบนการ์ดสาย

ภายใน

ชนิดของหัวเครื่อง Analog

Field	Value
Directory Number	52350
Directory name	
Directory First Name	
UTF-8 Directory Name	
UTF-8 Directory First Name	
Location Node	3
Shelf Address	2
Board Address	2
Equipment Address	0
Set Type	ANALOG
Entity Number	1
Set Function	Default

การเข้าโปรแกรม eConfiguration

➤ การแก้ไขรหัสผ่านโปรแกรมกรณีที่ user ลืมรหัสผ่าน

The screenshot shows the eConfiguration web interface in Internet Explorer. The left pane displays a list of users under the 'PCX' tree, with '52350 3220' selected. The right pane shows the configuration details for this user. The 'Secret Code' field is highlighted with a red circle, and a yellow arrow points to it. A yellow callout box at the bottom right contains the text 'Secret Code: รหัสผ่านตัวเครื่อง'.

Directory Number	52350
Equipment Address	0
Set Type	ANALOG
Entity Number	1
Set Function	Default
Domain Identifier	0
Language ID	1
Secret Code	****
Can be Called/Dialed By Name	YES
Phone book Name (Dial by name)	
Phone book First Name	
Displayed Name	52350

Secret Code: รหัสผ่านตัวเครื่อง

Q&A

